

AENOR

AENOR Product Certificate Plastics



001/006671

AENOR certifies that the organization

HENCO INDUSTRIES NV

registered office TOEKOMSTLAAN, 27 B-2200 HERENTALS (Bélgica)

supplies Multilayer piping systems PEX for hot and cold water installations inside buildings

in compliance with SANS 21003-1:2008; SANS 21003-2:2008
SANS 21003-3:2008; SANS 21003-5:2008

System description Trademark: HENCO RIXc/HENCO PRESS
Application class/Design Pressure(bar): 1/10 ; 2/10 ; 4/10 ; 5/10
Pipes producer: HENCO INDUSTRIES NV (Herentals- Bélgica)
Fittings producer: HENCO INDUSTRIES NV (Herentals- Bélgica)
Type of joint: PRESS FITTING
Type of clamp: TH ; BE

See annex for more information.

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.71.

First issued on 2017-02-09
Validity date 2022-02-09

A blue ink signature of Avelino BRITO, General Manager, written over a circular stamp.

Avelino BRITO
General Manager

Original Electrónico

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR

AENOR Product Certificate Plastics

001/006671

Annex to Certificate

System description Trademark: HENCO RIXc/HENCO PRESS
Application class/Design Pressure(bar): 1/10 ; 2/10 ; 4/10 ; 5/10
Pipes producer: HENCO INDUSTRIES NV (Herentals- Bélgica)
Fittings producer: HENCO INDUSTRIES NV (Herentals- Bélgica)
Type of joint: PRESS FITTING
Type of clamp: TH ; BE

System component	Dimensions (mm)	Material	References
Multilayer pipes	16 x 2 ; 18 x 2 ; 20 x 2 ; 26 x 3	PEX-c/AL/PEX-c	---
Elbow 90°	16 - 18 - 20 - 26	PVDF	1PK ; 1PKW
Plate female thread elbow	16 - 18 - 20 - 26	PVDF	2PK ; 2PK-K ; 2PKW ; 2PK-KW
Double plate elbow female thread	16-20	PVDF	3PK ; 3PKW
End female elbow	16 - 18 - 20 - 26	PVDF	5PK ; 5PKW
End male elbow	16 - 18 - 20 - 26	PVDF	6PK ; 6PKW
Equal Tee	16 - 18 - 20 - 26	PVDF	9PK ; 9PKW
Reduced Tee	18x16x18 ; 20x16x20 ; 20x18x20 ; 26x16x26 ; 26x18x26 ; 26x20x26	PVDF	10PK ; 10PKW
Reduced Tee	16x18x16 ; 18x16x16 ; 16x20x16 ; 20x16x16 ; 20x18x18 ; 20x20x16 ; 20x26x20 ; 26x16x16 ; 26x16x20 ; 26x20x16 ; 26x20x20 ; 26x26x16 ; 26x26x20	PVDF	11PK ; 12 PK ; 11PKW ; 12PKW
Female thread tee	16 - 18 - 20 - 26	PVDF	13PK ; 13PKW
Male thread tee	16 - 18 - 20 - 26	PVDF	14PK ; 14PKW
Socket	16 - 18 - 20 - 26	PVDF	15PK ; 15PKW
Reduction socket	18x16 ; 20x16 ; 20x18 ; 26x16 ; 26x18 ; 26x20	PVDF	16PK ; 16PKW
Male thread coupling	16 - 18 - 20 - 26	PVDF	17PK ; 17PKW

First issued on 2017-02-09
Validity date 2022-02-09

Original Electrónico

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR

AENOR Product Certificate Plastics

001/006671

Annex to Certificate

System component	Dimensions (mm)	Material	References
Female thread coupling	16 - 18 - 20 - 26	PVDF	18PK ; 18PKW
Eurocone adapter	16 - 20	PVDF	19PK ; 19PKW
Desmountable female union	16 - 20	PVDF	26PK ; 26PKW
Adapter double plate	16	PVDF	28PK ; 28PKW

First issued on 2017-02-09
Validity date 2022-02-09

Original Electrónico

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR

AENOR Product Certificate Plastics



001/006670

AENOR certifies that the organization

HENCO INDUSTRIES NV

registered office TOEKOMSTLAAN, 27 B-2200 HERENTALS (Bélgica)

supplies Multilayer piping systems PEX for hot and cold water installations inside buildings

in compliance with SANS 21003-1:2008; SANS 21003-2:2008
SANS 21003-3:2008; SANS 21003-5:2008

System description Trademark: HENCO STANDARD/HENCO PRESS
Application class/Design Pressure(bar): 1/10 ; 2/10 ; 4/10 ; 5/10
Pipes producer: HENCO INDUSTRIES NV (Herentals- Bélgica)
Fittings producer: HENCO INDUSTRIES NV (Herentals- Bélgica)
Type of joint: PRESS FITTING
Type of clamp: TH (DN 14-26); BE (DN 14-63)

See annex for more information.

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.71.

First issued on 2017-02-09
Validity date 2022-02-09

A blue ink handwritten signature, appearing to read 'Avelino Brito', is written over the signature line.

Avelino BRITO
General Manager

Original Electrónico

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR

AENOR Product Certificate Plastics

001/006670

Annex to Certificate

System description Trademark: HENCO STANDARD/HENCO PRESS
Application class/Design Pressure(bar): 1/10 ; 2/10 ; 4/10 ; 5/10
Pipes producer: HENCO INDUSTRIES NV (Herentals- Bélgica)
Fittings producer: HENCO INDUSTRIES NV (Herentals- Bélgica)
Type of joint: PRESS FITTING
Type of clamp: TH (DN 14-26); BE (DN 14-63)

System component	Dimensions (mm)	Material	References
Multilayer pipes	14 x 2 ; 16 x 2 ; 18 x 2 ; 20 x 2 ; 26 x 3 ; 32 x 3 ; 40 x 3,5 ; 50 x 4 ; 63 x 4,5	PEX-c/AL/PEX-c	---
Elbow 90°	14 - 16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	1PK ; 1PKW
Plate female thread elbow	14 - 16 - 18 - 20 - 26	PVDF	2PK ; 2PK-K ; 2PKW ; 2PK-KW
Double plate elbow female thread	16-20	PVDF	3PK ; 3PKW
End female elbow	14 - 16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	5PK ; 5PKW
End male elbow	14 - 16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	6PK ; 6PKW
Equal Tee	14 - 16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	9PK ; 9PKW
Reduced Tee	16x14x16 ; 18x14x18 ; 18x16x18 ; 20x14x20 ; 20x16x20 ; 20x18x20 ; 26x16x26 ; 26x18x26 ; 26x20x26 ; 32x16x32 ; 32x18x32 ; 32x20x32 ; 32x26x32 ; 40x16x40 ; 40x20x40 ; 40x26x40 ; 40x32x40 ; 50x20x50 ; 50x26x50 ; 50x32x50 ; 50x40x50 ; 63x26x63 ; 63x32x63 ; 63x40x63 ; 63x50x63	PVDF	10PK ; 10PKW
Reduced Tee	16x14x14 ; 16x18x16 ; 18x16x16 ; 16x20x16 ; 20x16x16 ; 20x18x18 ; 20x20x16 ; 20x26x20 ; 26x16x16 ; 26x16x20 ; 26x20x16 ; 26x20x20 ; 26x26x16 ; 26x26x20 ; 26x32x26 ; 32x20x26 ; 32x26x26 ; 32x26x32 ; 32x40x32 ; 40x20x32 ; 40x26x32 ; 40x32x32 ; 40x40x26 ; 40x40x32 ; 40x50x40 ; 50x20x40 ; 50x26x40 ; 50x32x40 ; 50x40x40	PVDF	11PK ; 12 PK ; 11PKW ; 12PKW
Female thread tee	16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	13PK ; 13PKW

First issued on 2017-02-09
Validity date 2022-02-09

Original Electrónico

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR

AENOR Product Certificate Plastics

001/006670

Annex to Certificate

System component	Dimensions (mm)	Material	References
Male thread tee	16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	14PK ; 14PKW
Socket	14 - 16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	15PK ; 15PKW
Reduction socket	16x14 ; 18x14 ; 18x16 ; 20x14 ; 20x16 ; 20x18 ; 26x16 ; 26x18 ; 26x20 ; 32x16 ; 32x20 ; 32x26 ; 40x26 ; 40x32 ; 50x32 ; 50x40 ; 63x40 ; 63x50	PVDF	16PK , 16PKW
Male thread coupling	14 - 16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	17PK ; 17PKW
Female thread coupling	14 - 16 - 18 - 20 - 26 - 32 - 40 - 50 - 63	PVDF	18PK ; 18PKW
Eurocone adapter	16 - 20	PVDF	19PK ; 19PKW
Desmountable female union	16 - 20	PVDF	26PK ; 26PKW
Elbow 45°	40 - 50 - 63	PVDF	27PK ; 27PKW
Adapter double plate	16	PVDF	28PK ; 28PKW

First issued on 2017-02-09
Validity date 2022-02-09

Original Electrónico

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

